

103 Campus Dr
Gaffney, SC 29341
USA

Voice: 864-206-8683

Fax: 864-206-8755

INVOICE

Invoice Number: 69712

Invoice Date: Mar 20, 2015

Page: 1

Duplicate

Bill To:
Hank

Ship to:
Hank

Customer ID	Customer PO	Payment Terms	
	JPJ/Mileage34049	C.O.D.	
Sales Rep ID	Shipping Method	Ship Date	Due Date
			3/20/15

Quantity	Item	Description	Unit Price	Amount
4.50	Labor 45K - 36 Month	SERVICE AT 45K OR 36 MONTHS	90.00	405.00
17.00	SLO 500004741	Shell Rotella T 15/w40 quart	3.50	59.50
1.00	FG LF3970	oil filter	14.04	14.04
1.00	FG FF5632	Fuel Filter	22.86	22.86
1.00	ABP N122 R50419	Fuel/Water Separator	21.39	21.39
1.00	ALI 29539579	ext. trans filter	16.51	16.51
10.00	MBL 98HF28	Mobile Delvac Syn ATF Bulk quart	8.66	86.60
1.00	FG CC2602B	Coolant test strip	1.65	1.65
1.00	SHOP SUPPLIES III	Charge for shop supplies,waste disposal & misc. hardware. Invoices over \$500.00	25.00	25.00
		5% Owners Club Parts/Labor Discount	31.38	-31.38

FREIGHTLINER CUSTOM C
103 CAMPUS DRIVE
GAFFNEY, SC. 29341
864-206-8683

TERMINAL ID.: 0010050000055272911601
MERCHANT #: 55272911

UISA
*****2114 EXP:XX/XX SWIPEO

SALE
RECORD: 5
DATE: Mar 20, 15
BATCH: 000438

INV: 069712
TIME: 07:22

AUTH:06632B

TOTAL \$638.97

HENRY

Subtotal	621.17
Sales Tax	17.80
Total Invoice Amount	638.97
Payment/Credit Applied	638.97
TOTAL	0.00

CUSTOMER COPY

45,000 Mile or 36 Month Maintenance: 00-06

BF6261

Procedure Performed (check off or initial)	45,000 Mile (72 405 km) or 36 Month Maintenance*	MOP
Inspect <u>JS</u>	Engine Drive Belt Inspecting	01-01
Check <u>JS</u>	Engine-Support Fasteners Checking	01-02
Change <u>JS</u>	Engine Oil and Filter (see the engine manufacturer's manual) <u>17 QTS</u>	—
Inspect <u>NO</u>	Air Cleaner Inspection	09-01
Inspect <u>JS</u>	Charge Air Cooler (CAC) Inspection and Cleaning (if cleaning is needed)	09-02
Inspect <u>JS</u>	Air Compressor Inspection	13-01
Check <u>JS</u>	Alternator, Battery, and Starter Connections Check	15-01
Inspect/Check <u>JS</u>	Radiator (radiator cap, coolant freeze points, SCA levels, hose routing for chaffing and leaks) <u>SCA 3.3 FP-40</u>	20-01, 20-02, 20-03
Lubricate <u>NA</u>	Mechanical Fan Drive Gearbox Lubrication	20-05
Change <u>JS</u>	Transmission Fluid and Filter (if required by Allison) <u>complete</u>	26-03
Inspect <u>JS</u>	Transmission Hose Routing for Chaffing and Leaks	—
Lubricate <u>JS</u>	Throttle Pedal Pivot Pin Lubricating	30-01
Check <u>JS</u>	Suspension Fastener Torque Check	32-01
Check <u>JS</u>	Suspension Height Control Valve Check	32-02
Lubricate <u>NA</u>	ZF IFS Lubrication	32-04
Check <u>JS</u>	Suspension U-Bolt Torque Check	32-06
Inspection <u>NA</u>	V-Ride Rear Suspension Inspection	32-07
Lubricate <u>JS</u>	Knuckle Pin Lubricating†	33-01
Lubricate <u>JS</u>	Tie-Rod End Lubricating and Inspecting†	33-02
Inspect <u>JS</u>	Wheel End Inspecting	33-04
Check/Change <u>JS</u>	Oil-Filled Hubs Oil Changing (front and tag axle)	33-05, 33-06, 35-04, 35-05
Check <u>JS</u>	Axle Seals for Leaks	—
Change <u>NO</u>	Axle Lubricant Changing and Magnetic Plug Cleaning (Detroit and Meritor axles)	35-02
Check <u>JS</u>	Axle Breather Checking	35-03
Check <u>JS</u>	Tire Pressure	—
Lubricate <u>JS</u>	Driveline Inspection and Lubrication	41-01
Inspect <u>JS</u>	Brake System Valves Inspecting	42-01
Inspect <u>JS</u>	Air Dryer and Air Lines for Proper Routing, Chaffing, and Leaks	42-02
Change <u>NO</u>	Air Dryer Desiccant and Coalescent Filter Replacing	43-03

changed last year

10 QTS SYN
 - TES 295 or
 equivalent
 48 mo. fluid

85 rear / 100 front

changed last year

45,000 Mile or 36 Month Maintenance: 00-06

Procedure Performed (check off or initial)	45,000 Mile (72 405 km) or 36 Month Maintenance*	MOP
Lubricate <u>JS</u>	Camshaft Bracket Bushing Lubricating	42-04
Lubricate <u>JS</u>	Slack Adjuster Lubricating	42-05
Lubricate <u>JS</u>	Foot Brake Valve Actuator Lubricating	42-06
Inspect <u>NA</u>	Bendix Hydro-Max® Brake System Inspecting (front-engine only)	42-07
Lubricate <u>NA</u>	Brake Caliper Slide Pin Lubricating, Bosch Brakes (front-engine diesel chassis)	42-08
Check <u>JS</u>	Brake Lines Checking, Hydraulic Disc or Air Brakes	42-09
Check <u>NA</u>	Brake Lining Wear Checking, Hydraulic Disc Brakes (front-engine only)	42-10
Inspect <u>JS</u>	Brake Inspecting (air brakes)	42-11
Lubricate <u>NO</u>	Meritor Roller Pin Lubricating	42-12
Drain <u>JS</u>	Air Tanks	—
Lubricate <u>JS</u>	Drag Link Lubricating	46-01
Change <u>NA</u>	Power Steering Fluid and Filter Changing	46-03
Lubricate <u>JS</u>	Steering Driveline Lubricating	46-04
Lubricate <u>JS</u>	Steering Gear Lubricating	46-05
Change <u>NA</u>	Hydraulic Reservoir Filter Changing (including TRW)	46-06
Inspect <u>JS</u>	Fuel Tank Mounts and Fuel Line Checking	47-01
Change <u>JS</u>	Fuel Filters	—
Inspect <u>JS</u>	Exhaust System Inspecting	49-01
Check <u>JS</u>	Ground Cables Checking and Cleaning	54-01
Inspect <u>JS</u>	Air Conditioner Component Inspection	83-01
Customer† _____ Date _____		

* Additional copies are available on the Freightliner Custom Chassis Corporation website (www.freightlinerchassis.com).

† For vehicles with Detroit axles, complete this procedure once a year or every 25,000 miles (40 000 km), whichever comes first.

‡ Your signature on this form indicates that you have reviewed and agree to the service items to be performed. Any items you wish to exclude should be indicated with a "no" to the left of that service item.

* Customer will supply filters and will purchase two new ones to take

Any questions, call Hank.
609-247-